

Vinyl Lock[®]



Lockheed Vinyl Replacement Windows
Quality And Comfort Since 1955



The choice of thousands of Northeastern neighbors since 1985.



So you're ready to put a new face on your home by adding quality replacement windows. Congratulations on your decision! Windows are one of the most visible and influential parts of every home's appearance – from the curb, to your view looking out. But, of course, appearances aren't everything.

When you choose VinyLock® Replacement Windows, you know you're investing in a time-tested all-vinyl window system that's performed with distinction through two decades of harsh winters, in thousands of New England and Eastern New York State homes.

You don't have to go far from home to find a great window. VinyLock® windows are made by Lockheed Window Corp., a manufacturer of quality aluminum and vinyl building products since 1955. VinyLock® and Lockheed are names you can trust and all our windows are made right here in your home region.



Windows that fit your style, climate, and budget.



Each VinyLock® window is custom-made to fit your existing opening. All VinyLock® windows are installed from the inside. This helps minimize installation time and clutter, saves you money you might otherwise spend making stock-size windows fit, and eliminates shims and extenders traditionally used to cover up unsightly gaps. Every window is made to fit its pre-measured opening, with hand-in-glove precision.

Choose from double hung, sliding, or fixed picture window styles in the VinyLock® Series. All VinyLock® model windows are style compatible with windows in the Vinyl Pro 2000™ or Monarch™ Series windows.

Available Configurations:



Double Hung



2-Lite Slider



3-Lite Picture Window Slider

VinyLock® Double Hung Window

Outstanding durability, matched by top weather resistance and comfort.

A traditional style that's still the favorite window in the Northeast – VinyLock® double hung windows are built to replace old-fashioned wood windows that required periodic scraping, painting and maintenance. Both the sash and frame are UV-resistant PVC virgin vinyl, formed from rigid "honeycomb" insulating extrusions. Larger-size VinyLock® Series windows can be reinforced with aluminum rails, for added strength to meet light-commercial standards.

These no-maintenance, energy-efficient windows will decrease energy costs and add incredible comfort and increased value to your home.

.062" extrusion walls for superior structural integrity and strength.

Reinforced lock rail.

Fin-Seal wool pile weatherstripping on all four sides of sash makes VinyLock® weathertight.

Positive interlock between upper and lower sash – tighter security from break-ins and protection against air and water infiltration.



Double-glazed with 13/16" insulating glass with dual durometer seal.

Double-seal protection at the meeting rail seals your comfort.

High-impact, color-matched, zinc die-cast hardware for years of smooth operating performance and security.



4 independent sill seals provide air and water protection for lower sash.

Fade resistant, clear-through vinyl color.


Stepped sill for water runoff and easy cleaning.



VinyLock® windows with Low E glass, combined with our Technoform TGI® warm edge spacer, meet EnergyStar® requirements (see chart below). Our high performance Soft Coat Low E glass selectively admits light and blocks heat for year round comfort.



EnergyStar®/AAMA Performance Chart

 Specifications subject to change without notice.	*Thermal Values						**AAMA Rating			
	Technoform TGI® Warm Edge IG Spacer									
	CLEAR		LOW E		LOW E ARGON		Air at 25 MPH	Water Resistance (P.S.F.)	Structural (P.S.F.)	Rating
U-VALUE	R-VALUE	U-VALUE	R-VALUE	U-VALUE	R-VALUE					
Double Hung	.47	2.12	.34	2.94	.30	3.33	.23	6.06	60.19	H-LC40
Slider	.47	2.12	.34	2.94	.30	3.33	.14	5.43	52.66	HS-LC25
Fixed Picture	.45	2.22	.32	3.12	.28	3.57	N/A	N/A	N/A	N/A

NOTE: Low "E" coating is on the number "2" glass surface when viewed from the exterior.

U-values noted above are reflective of either PPG Solarban® 60 or AFG Ti-AC-36 Low "E" glass.

* "U" Value in accordance with NFRC 100-2004: Procedure for determining fenestration product U-factors.

** AAMA Rating in accordance with AAMA/WDMA/CSA 101/1.S. 2/A440-5.

COOLER IN SUMMER

- Up to 50% less solar energy transmission than standard insulating glass
- For cooler room temperatures in summer
- Reduced air conditioning energy costs

WARMER IN WINTER

- Up to 50% less nighttime heat loss than standard insulating glass
- Reduces furnace heat loss dramatically
- For lower energy costs and superior comfort

SELECTIVE LIGHT TRANSMISSION

- Reduces 72% more fabric-fading UV energy than standard insulating glass
- Excellent fading protection for carpets, furnishings, wall coverings
- Provides glare control while admitting about 88% of visible light compared with standard clear glass



Glass options:

- Solar controlled soft coat Low-E glass selectively admits light and blocks heat for year-round comfort.
- Argon filled glass adds additional insulating value.
- Internal decorative muntins in your choice of colonial, designer or diamond shapes.
- Double strength (DSB) glass
- Tempered glass
- Bronze tinted glass



Put away the ladder! Both upper and lower sash tilt for easy cleaning inside and out.

Other features for operating ease, cleanability and security:

- Handsome recessed, color-matched tilt latches on all sash.
- Extruded full-width lift and pull handles for operating ease.
- Four smooth-operating block and tackle balances.
- Vinyl balance covers protect balances from dirt and damage.
- Maintenance-free vinyl exteriors.
- Aluminum, locking half screen with charcoal fiberglass screenwire is pile weather-stripped to stop bugs.

Choice of permanent clear-through vinyl colors.



White



Territone

Actual colors may vary slightly from brochure colors depicted.



Double Hungs & Fixed Picture Window



As popular as our double hung windows are across the Northeast, many of your neighbors combine them with VinyLock® fixed picture or sliding windows. With Lockheed, they're all in the family! Frames, muntins, hardware, and glass options are perfect matches to VinyLock® double hungs.

Bay and Bow Windows Featuring Vinyl Pro 2000™ Casements



Transform the entire look of your home with a dramatic, style-coordinated bay or bow window system. Choose from combinations of casement or picture windows, flanked by compatible double hungs or sliders. Because of the projected nature of bays and bows, Lockheed energy-glass options are strongly recommended to protect family members from drafts or chills on a cold winter evening. See our Bay/Bow/Casement/Garden Window Brochure for more information on our Vinyl Pro 2000™ model windows.

Trust Lockheed Window Corp. to protect your investment in quality replacement windows.

Lockheed warrants all VinyLock® Windows to the original purchaser, for one year of dependable performance on all mechanical components. We warrant the sealed glazing system for 20 years, including free replacement of failed units in the first 10 years. (Sealed glass coverage is pro-rated over the second 10 years of ownership.)

Visit our website,
www.lockheedwindow.com
to find a dealer near you.



TECHNOFORM GLASSINSULATION



LOCKHEED[®]
WINDOW CORP.
"Where Quality Rules"
Since 1955

Route 100, P.O. Box 166, Pascoag, Rhode Island 02859
TEL: 401-568-3061 • Fax: 401-568-2273
www.lockheedwindow.com